

Michael's

Made by you™



*Right Angle
Weave 2.0*

John Bead
ESTABLISHED 1954

What You'll Need

Bead Landing Czech Seed Bead 3-Pack Palette, SKU 10699498
John Bead Size 10/0 Czech Seed Beads, Silver, SKU 10416635
John Bead Size 10/0 Czech Seed Beads, Iris Brown, SKU 10479044

Wildfire Beading Thread, .006 Frost, SKU 10104818
Size #10 Beading Needle, SKU 10332394

Stainless Steel Lobster Claw Clasp, SKU 10697686
Stainless Steel Jump Rings 6mm, SKU 10697688

Beading Mat, SKU 10348546
Precision Scissors, SKU 10591717

Wire Working Tools: SKU 10334538
Chain Nose Pliers

Beginner Beadweaving
1 Hour Class



Share your designs with us!
#JohnBead
#MakeItWithMichaels
[Join the John Bead Facebook Group!](#)

John Bead
ESTABLISHED 1954

This fun class is a spin on right angle weave where we will change up the configuration in a pattern along the band. Work in any colors! This design will even work with alternate bead types and sizes.

Abbreviations

S10 - Size 10/0 Czech Seed Bead (any color)

S6 - Size 6/0 Czech Seed Bead (any color)

Step 1


Cut 75 inches of beading thread and thread a size #10 beading needle. Leaving a 20 inch tail, [string (1)S10 and (1)S6] four times. Reinforce around, then weave to exit from the S10 opposing the tail.

Step 2


[String (1)S6, (1)S10] three times plus (1)S6. Go through the S10 your thread is exiting. Loop around to reinforce, then weave to exit from the opposing S10. Repeat Step 2 for a total of five segments or to desired length.

Step 3

String (1)S10, (1)S6, [(3)S10, (1)S6] three times. Loop around through the starting S10, reinforcing once, then continue to exit from the center, opposing S10.



Step 4
 [String (2)S6,
 (1)S10] three
 times plus (2)S6.
 Loop through the
 first S10,
 reinforce, then
 continue to exit
 from the
 opposing S10.



Step 5
 Create the rest
 of the bracelet
 following the
 pattern shown to
 the right. Add
 length as desired
 to the starting
 and ending
 sections.



Step 6
 Finish with a pattern of S10.
 String (5)S10 and loop back
 through the starting S10.
 Reinforce and weave to exit the
 top S10. Repeat twice.



Step 7
 Use the tail thread to repeat
 Step 6 on the starting side of the
 bracelet. Finish with 6mm jump
 rings and a lobster claw clasp.

Embellish the final jump ring
 with an S6.

